SUBJECT INDEX

A

Absorption and midgut, 226, 235
Acarapis, 476, 480, 483
  woodi, 469, 476
Acetylcholine receptors, 347
Acheta, 348
  domesticus, 209
Achroia grisella, 38-39
Acinogaster, 475
Acoustic communication in planthoppers, 500-2
Acridology, 1-24
Acyrthosiphon pisum, 283
Adaptive evolution, 424-32
Adenylate cyclase and transmembrane signalling, 359
Adipokinetic hormone, 201, 203, 232
Adoxophyes orana, 403-4
Aedes
  aegypti, 184, 203, 206, 227, 229-31, 233-34, 280, 462
  togoi, 280
Aenicteques, 481
  chapmani, 480
Aggregations
  of locusts, 11, 17
  of moths, 41, 49
  by parasitoids, 75
Agonopterix, 325-27, 335-36
  clemensella, 326, 333
Agriotes, 253-55, 257
Agrius cingulatus, 170
Agrochola helvola, 33
Agrotis ipsilon, 303
Aiolopus simulatrix, 12
Alkaloids, 322, 329, 335
Allatotropin, 212
Alphitobius diaperinus, 110-13
Amblyseius potentillae, 449
Amrarasca bigutulla, 306
Anagasta see *Ephestia*
Anagrus, 502
Anastatus disparis, 577
Androconial scales, 25-58
Anoetus, 473
Anomala orientalis, 254
Anomalagrion hastatum, 461
Anopheles
  gambiae, 227, 230
  stephensi, 227, 229-31-32-34
Antennophorus, 479, 481
Antestiopsis orbitalis, 277
Anthonomus grandis, 306
Anti-Locusts Research Centre, 6
Anticarsia gemmatalis, 33-34, 413
Antifeedants for Colorado potato beetle, 90
Ants
  and baits, 538
  and digestion, 192-93
  and gypsy moths, 577
  and mites, 471-84
  and neem, 284
  and planthoppers, 502
  and searching behavior, 449-50, 454
  and tillage, 308
  and weevils, 162
Apachea, 335
Apamea
  furva, 36
  monoglypha, 33
Apanteles glomeratus, 64, 66
Aphidius nigripes, 67
Aphids
  population biology of, 494
  and tillage, 305
  and Umbelliferae, 322, 328, 332, 335
Aphis, 325
  fabae, 332
  heraclella, 330, 335
Aphytis, 74
Apion, 325, 335-36
Apis, 351
  cerana, 482
  mellifera, 455, 471, 476, 478, 482
Apolysis and neem, 277
Argyrotaenia velutinana, 27
Armadillidium nasatum, 450
Army ants and mites, 472, 474-75, 479-80, 484
Ascoschoengastia indica, 557
Asobara, 74
  persimilis, 74
  rufescens, 74
  tabida, 63, 65, 74
Attagenus megatoma, 184
Autographa californica, 128
Avermectins, 112, 263
Azadirachta indica, 271-97
Azadirachtin, 271-97
Azaleodes, 41

Babia temerata, 39-40
Bacillus thuringiensis, 89, 162, 171, 263, 293, 404, 578
Bacteria and gypsy moths, 581
Baculovirus
  genomes, 141-43
  molecular biology, 127-55
  structural proteins, 137-41
Baits and cockroach control, 537-38
Bakerdania, 475
Bassus cylasovorus, 162
Battus philenor, 333, 436
Beauveria
  bassiana, 162, 171, 263, 414
  popilliae, 263
Bedbugs, 107-8
Bedellia, 170
Bees
  and mites, 469-71, 473-74, 479
  searching behavior of, 455
Behavior of soil insects, 249-69
Biological clocks, 450
Biological control
  of cockroaches, 532
  of Colorado potato beetle, 91
  and ecological genetics, 423
  and extension entomology, 390-93
  of poultry pests, 115-118
Blabera gigantea, 188
Blaberus, 204
  craniifer, 529
Blatta orientalis, 276, 523-24, 527, 541
Blattella, 537
  asahinai, 531
  germanica, 276, 523, 527-33
Blepharipa pratensis, 578
Blood and digestion, 193-94, 219-48
Bombus
  mori, 209, 211, 280
  ternarius, 458
  terricola, 457-58
Brachymeria intermedia, 578
Bracon hebetor, 73
Bumble bees
  and mites, 470, 473-79, 483-84
  searching behavior of, 453, 458

C

Cadra
  cautella, 37
  figulilella, 37
Calliphora, 353
  erythrocephala, 606
  vicina, 280, 282
Callosobruchus, 274, 276
  analis, 274
  chinensis, 274
  maculatus, 274, 284-85
Caloptenopsis, 9
Calosoma sycophanta, 577

Camnula pellucida, 415
Camponotus herculeanus, 471
Carausius, 204
  morosus, 205, 604
Carbon dioxide and soil insects, 260-61 260
Carcinops
  pumilio, 116
  troglodytes, 116
Carpoglyphus, 473
Casmolaelaps cuneifer, 477
Cataglyphis bicolor, 454
Catocala nupta, 34
Cavariella, 325
  aegopodii, 329
  capreae, 335
  pastinacae, 330
  theobaldi, 332
Cellulose digestion, 182, 188-89, 191-93
Central nervous system and neuropeptides, 201-217
Centris pallida, 462
Ceratitis capitata, 285-86
Cerocephala, 162
Cerophagus, 474
Cerotoma trifurcata, 305
Chemical defenses, 42
Chitin, 236, 536
Chlorogenic acid, 322, 328
Choristoneura fumiferana, 27, 143
Chortoicetes terminifera, 10, 18-19
Cimex lectularius, 107-8
Circadian rhythms, 451
Cisseps fulvicollis, 28, 44
Cleptoparasites, 74, 480
Cnaphalocrocis medinalis, 276
Coccinella septempunctata, 454
Cockroaches
  and digestion, 188
  integrated suppression of, 521-51
  and neuropeptides, 202-3, 205-7
Colias eurytheme, 436
Collyria calcitrator, 60
Colorado potato beetle
  ecology of, 81-100
  and neem, 283
Comperia merceti, 533
Compsilura concinnata, 579, 588
Conditioning, 436-37
  and searching behavior, 455
Conoderus
  amplicollis, 164, 169
  falli, 164
  lividus, 164
  rudis, 164, 169
  scissus, 164, 169
  vespertinus, 164
Conservation tillage, 299-318
Corcyra cephalonica, 38-39
Coremata, 25
Corpora allata, 84-85, 212, 281
Corpus cardiacum, 201,203-4, 209-10
Cosmoglyphus, 473, 483
Cosmolaelaps, 483
Costelytra zealandica, 261
Cotesia melanoscela, 578
Coumarins, 322, 328-29,333, 335-36
Creatonotus, 30
  gangis, 28-29
  transiens, 28-29
Crickets and digestion, 188
Crocidolomia binotalis, 274
Cryptocerus, 188
Crytophlebia leucotrata, 27
Ctenicera destructor, 253
Ctenocephalides felis, 556-59, 563-64
Ctenophthalmus, 243
Cucullia umbratica, 33
Culex
  pipiens, 227
  tarsalis, 229-30
Cultural controls, 392
Cyclitols, 322, 328, 335
Cyclocephala borealis, 255
Cycnia tenera, 28, 31
Cylas
  brunneus, 158
  formicarius, 158-60, 171, 184
  puncticollis, 158, 162
Cyrtacanthacris tatarica, 12
Cyrtomenus bergi, 306
Cyrtorhinus, 502

D

Danaus
  gilippus, 44-45
  plexippus, 44, 332
DDT, 538-39
  resistance, 81
Degree-day models, 84
Deilephila elpenor, 42
Delia
  antiqua, 259, 404-5, 449, 452
  platura, 304
Delphacodes, 490, 505
  detecta, 497, 508
Density and locusts, 12-14
Depressaria, 325-27, 335
  cinerocostella, 327
  pastinaca, 459
  pastinacella, 330-33, 335
Dermanyssus gallinae, 107
Dermatophagoides pteronyssinus, 524
Dermestes
  lardarius, 112
  maculatus, 110-13
Desmosomes, 234-35
Diabrotica, 165-66
  balteata, 166-67, 306
  longicornis, 303
  undecimpunctata, 166-67, 308
  virgifera, 258
Diapause
  of Colorado potato beetle, 82-85, 89-90
  of gypsy moths, 587
  of planthoppers, 494, 494, 497
Diaphania nitidalis, 212
Dicranotropis
  hamata, 491, 493, 499, 503-4
  muiri, 497
Digestion in blood feeding insects, 219-48
Digestive systems, 181-200
Dinothrombium, 476, 482
Dinychus, 479
Diseases of insects, 399-419
Dispersal
  of cockroaches, 527
  of gypsy moths, 581-82
  of planthoppers, 494, 499, 505-6
Diuresis, 223
Diuretic neuropeptides, 202, 206, 208-9
DNA
  and midgut, 225
  replication, 133-37
  viruses, 127
Dociostaurus, 9
  maroccanus, 3, 10, 14
Dorylacarus, 474
Drapetis, 162
Drosophila, 202, 206-7, 348-49, 354-56, 359-65, 367, 428, 614-15
  melanogaster, 65, 71, 457, 459-60, 462, 598
  mojavensis, 436
  quinaria, 436
  tripunctata, 436-37, 439
Dysdercus fasciatus, 276-77, 282, 284

E

Earthworms and tillage, 310
Ecdysone, 210, 280-81
Ecdysteroids, 282, 285
Echidnophaga gallinacae, 243, 557
Echinolelaps echidninus, 557
Eclosion hormones, 209-10, 281, 359
Ecological genetics, 421-448

Economic thresholds, 381, 394
Ectobius, 523
Ectoparasites of poultry pests, 103-9
Edovum puttleri, 92
Elasmopalpus lignosellus, 303
Eldana saccharina, 38-40
Eltonella celiae, 476
Encapsulation of parasitoids, 64
Encarsia formosa, 73
Endocrine cells and midgut, 220, 226, 232, 242
Endocrines and digestion, 182-96
Entomophaga
grylli, 415
maimaiga, 581
Entomophthora musca, 116, 404-5
Enzymes
for digestion, 181-96
and midgut, 219-48
Epermenia, 325
Ephedrus cerasicola, 67
Ephestia
elutella, 37-38, 47
kuehniella, 36-37
Ephestiodes gilvescentella, 37
Epidemiology of murine typhus, 553-69
Epidinocarsis lopezi, 65
Epilachna, 286
varivestis, 273, 277-80, 283-84, 304-5
Epilampra, 523
Epizootiology, 399-419
Erinnyis ello, 184-86, 195
Estigmene, 30
acrea, 28-30
Eublaberus distanti, 529
Euleia, 325, 335
Eupelmus
cushmani, 162
postfasciatus, 162
Euphydryas editha, 436, 339-40, 460
Euscepes postfasciatus, 159-61, 171
Euvarroa, 480
sinhae, 478
Evolution
and ecological genetics, 421-46
of moth scent structures, 42-50
Extension entomology, 379-97

F

Fannia, 473, 482
benjamini, 114
canicularis, 114
femoralis, 114
Feeding behavior
of Colorado potato beetle, 86
and neem, 274-76
Filter chamber, 190-91
Filth flies, 113-18
Fitness and ecological genetics, 429
Flavonoids, 328-29
Flea beetles, 167-68
Fleas and typhus, 554-69
Flight
behavior of locusts, 11
by Colorado potato beetle, 82-83
of locusts, 11, 16-18
and neem, 286
and neuropeptides, 204
Food and Agricultural Organization, 7
Forania, 476
Forcellinia, 473
galleriella, 483
Formica, 472, 478
polytena, 284, 471, 478
rufa, 471
Froriepia, 473
Fungal pathogens and Colorado potato beetle, 92
Furanocoumarins, 330-31, 333, 335-36
Fuscuropoda vegetans, 116

G

G proteins and transmembrane signalling, 357-62
GABA
and glial cells, 614
receptors, 349
Galleria mellonella, 38-39
Garsaultia, 473
Gene expression, 133-37
Genetic
control of cockroaches, 532
drift, 422, 425
models, 428, 431
variability, 424-41
Genetics and searching behavior, 462-63
Glial cells, 597-621
Glossina morsitans, 239, 242
Glutamate receptors, 353
Glycogen, 225-26, 235, 242
and glial cells, 605, 612, 617
Glycyphagus, 473
Glyphidomastax, 475, 480
Glyphonyx, 164
Golgi and midgut, 225, 232, 234, 237, 239, 241,243
Gonatocerus, 502
Graminella nigrifrons, 303
Granulosis viruses, 128
Graphognathus, 164
Grapholita, 50
molesta, 26-27, 39, 44, 47
prunivora, 27
Grasshoppers, 1-24
and digestion, 188
and epizootiology, 415
and glial cells, 614
and neem, 286
Gregarious parasitiods, 64-66
Gregarization of locusts, 11, 19
Greya, 325
subalba, 326
Gryllus, 204, 459
campestris, 449
Gymnolaelaps myrmecophila, 477
Gypsy moth, population dynamics of, 571-596

H

Hair-pencils, 25-58
Heliconius, 448, 454
Helicoverpa
armigera, 274-75
zea, 275, 279, 331
Heliothis, 204, 304, 306
virescens, 33, 139, 212, 273, 275, 279
zea, 205, 212, 303, 308, 330
Hematophagous insect midgut ultrastructure, 219-48
Hemoglobin digestion, 225
Henosepilachna, 286
Hepialus
hecta, 38, 40-41
sequoiolus,41, 49
Hermetia illucens, 115
Heterorhabditis heliothidis, 162, 264
Heteroschema, 162
Hierodula crassa, 459
Histiostoma, 483
fuliginosi, 473
Holostaspella, 477, 483
Holostaspis, 480
oophila, 478
Honeybees
and digestion, 192
and mites, 469, 471, 473-74, 477-79, 482
searching behavior of, 457
Honeydew and digestion, 192-93
Hoplopleura oenomydis, 557
Hormones, 201-17
Host
adaptation, 421-46
discrimination by parasitoids, 59, 61-63
finding by soil insects, 258-63

location of Umbelliferae, 327-29
range and ecological genetics, 434-36
specificity of Colorado potato beetle, 87
Host-density threshold, 408, 410-12
Host-plant
quality and Colorado potato beetle, 84-85
resistance, 90-91, 390, 394
House fly and poultry, 114-16
Hyadaphis, 325, 335
foeniculi, 329
Hypera postica, 305, 410
Hypoaspis, 483
Hypolithus bicolor, 253

I

Ibalia leucospoides, 60
Imparipes, 483
apicola, 475
hystricinus, 475
Insect growth regulators, 112-13, 162, 273, 390, 394, 535-36, 537, 540
Insect-umbellifer associations, 319-343
Insecticide resistance, 391-92
in cockroaches, 538-39
Insulin receptors, 354-57
Integrated pest management, 379-97
Ion channels, 347
Ipiduropoda, 479
Ischnura verticalis, 461

J

Javesella pellucida, 491, 493, 497-98, 503-5, 508
Juvenile hormone, 12, 212, 280, 284-86
and cockroaches, 536, 540

K

Kraussaria angulifera, 12
Kuzinia, 481

L

Laelaptonyssus, 476
Laelaspis vitzthumi, 477
Laelaspoides, 478, 481
Laetilia coccidfivora, 37
Laodelphax striatellus, 491-92, 496-98, 503
Lasioglossum zephyrum, 449
Lasius, 472, 473, 475, 477, 482
Laspeyresia pomonella, 27
Learning, 436-37
and searching behavior, 455
and superparasitism, 73-74
Lebia grandis, 91
Leks, 29, 41
Leptinotarsa decemlineata, *81-100*, *283-86*
Leptohylemyia coarctata, 260
Leptopilina heterotoma, 63, 65, 71
Leptopsylla segnis, 556-59, 563
Leptus, 476
Leucokinins, 205-6
Leucophaea maderae, 205-7
Lice
and poultry pests, 106
and typhus, 557, 562
Life tables
and ecological genetics, 429-30
for gypsy moth, 573
Limonius californicus, 254-55
Lipids
and midgut, 223, 225, 236, 239, 242
and neuropeptides, 204
Liriomyza
sativae, 424, 439
trifolii, 284-85
Listronotus oregonensis, 325
Litter beetles, 110-13
Locusta, 203-4, 208, 348, 350
migratoria, 3,4, 6, 10, 201, 276, 278, 280, 284-85, 329
Locustacarus, 480, 483
buchneri, 476
Locustana pardalina, 10
Locusts, 1-24
and glial cells, 614
and neem, 274, 276, 286
neuropeptides, 203-4, 209
phases of, 10
Lucilia sericata, 274
Lutzomyia longipalpis, 235
Lycorea ceres, 45
Lygus, 306
lineolaris, 330
Lymantria dispar, 129, 143, 212, 278, 404, 571
Lysosomes, 225, 226, 234, 236
Lysozymes, 185, 194

M

Macrocheles, 480
muscaedomesticae, 116
praedafimetorum, 477
Malacosoma pluviale, 403
Malpighian tubules, 183-84, 187, 206
Mamestra
brassicae, 32, 34-35, 48, 275
configurata, 32, 34
persicariae, 32
Management
of Colorado potato beetle, 88-92
of poultry pests, 101-126
Manduca, 204, 347-48,350, 359-60, 364
neuropeptides, 20544
sexta, 41-42, 212, 278,280-82, 354, 606-7
Marking pheromones, 61-62
Maternal effects, 460
Mating and scent, 25-58
Megamelus, 490
lobatus, 497, 508
Megastes grandalis, 163
Melanization of locusts, 12
Melanoplus, 604
differentialis, 606
spretus, 12, 15
Melanotus communis, 253, 262
Melissotydeus,474
Melitiphis alvearius, 478
Membranes and signalling, 346
Menacanthus stramineus, 106
Messoracarus, 481
mirandus, 480
Metamorphosis and neem, 276-82
Metapelma spectabilis, 162
Metarrhizium anisopliae, 162, 263
Metasyrphus corollae, 332
Meteorus rubens, 309
Microbial control, 399
Microbracon
cylasovorus, 162
punctatus, 162
Microplitis croceipes, 63
Microsporidia and gypsy moths, 581
Microtubules and glial cells, 611
Microvilli, 128, 221, 223, 226-27, 229, 231-33, 236, 238-39
and digestion, 182
Midgut
and digestion, 182-96
ultrastructure, 219-48
and viruses, 128, 132
Migration
and ecological genetics, 425
and locusts, 15
of planthoppers, 494, 505
Mimicry, 50
Minerals and midgut, 223, 225
Mites
and cockroaches, 524
and humidity, 531
and poultry pests, 103-7, 110, 116-17

and resistance, 105
and searching behavior, 449
and social insects, 469-88
and tillage, 308-9
and typhus, 557, 562
Mitochondria
and glial cells, 605
and midgut, 229, 234-35, 237-38, 241-42
Models
and ecological genetics, 434, 437
and extension entomology, 393
of insect diseases, 399-419
for locusts, 18-19
of parasitoids, 402, 408
and soil insects, 250
Moisture and soil insects, 252-57
Molting and neem, 277
Monitoring of cockroaches, 527-28
Monopsyllus anisus, 557
Muellerianella, 490, 497
fairmairei, 498-99
Multiparasitism, 74-75
Murine typhus, 553-69
Musca, 348, 351-52, 360, 364-65
domestica, 114-16, 185, 193, 454, 460, 599, 601-3, 605, 607, 610, 614-15
Muscidifurax, 116
Muscina stabulans, 115
Mutant baculoviruses, 148-49
Mycetoglyphus, 473
Mycetome, 239, 241-42
Myianeotus vesparum, 473, 482
Myotropins, 205-7
Myrmozercon, 478, 483
Mythimna
comma, 36
conigera, 32, 36
impura, 32, 36
loreyi, 36
obsoleta, 36
pallens, 32, 36
pudorina, 36
putrescens, 36

N

Nasonia vitripennis, 66
Nasutitermes, 476
Natural enemies and tillage, 307-9
Natural selection, 422-24, 426, 428-33, 438, 447
Nauphoeta, 204
Nectar, 192-93
Neem, 162
pesticides, 271-97
Nematodes
and beetles, 165, 167, 171
for biological control, 112
and cockroaches, 533-34
and mites, 478, 480, 483
and poultry pests, 117
and soil insects, 264
and tillage, 309
and weevils, 162
Neoaplectana, 162
Neocypholaelaps, 481
phooni, 477
Neohypoaspis ampliseta, 478
Neotarsonemoides, 475
Nepa cinerea, 221
Nephotettix virescens, 274-75, 277, 283, 285
Nerve cord and glial cells, 605-7
Neuroendocrine system and neem, 285
Neurons
and glial cells, 597-621
and neem, 275
Neuropeptides, 201-217
Neurosecretion, 285
Neurosecretory cells, 204
and neem, 280
Neurotransmitters and transmembrane signalling, 347
Nilaparvata lugens, 273-77, 283-86, 489-507
Nitrogen fixation, 189
Nomadacris septemfasciata, 6, 10
Nomuraea rileyi, 413
Nosema
locustae, 18
pyrausta, 407, 411
whitei, 407
Nosopsylla fasciatus, 557
Nuclear polyhedrosis viruses, 128-55
and gypsy moths, 575, 579-87
Nucleocapsids, 132
Nucleotides and transmembrane signalling, 363
Nutrient cycling and tillage, 309-10
Nutrition and planthoppers, 493

O

Occlusion bodies, 128, 132, 138-39
Ochropleura plecta, 36
Oedaleus senegalensis, 12, 15, 18-19
Olfaction and host plants, 43
Oligosita, 502
Oncopeltus fasciatus, 277-78, 280, 282-83, 285-86
Oodinychus, 479
Ooencyrtus kuwanae, 577-78
Ophiomyia phaseoli, 306
Ophyra
aenescens, 115
capensis, 115
leucostoma, 115
Oplitis, 479-80, 483
Optic ganglia and glial cells, 609
Orgyia pseudotsugata, 139
Ornithonyssus
bacoti, 557
bursa, 103
sylviarum, 103
Orthops, 325
campestris, 335
Osmoregulation and midgut digestion, 229-44
Ostrinia nubilalis, 212, 303, 407, 411, 414, 606
Ovicide by parasitoids, 73
Oviposition stimulants, 328

P

Pachycrepoideus vindemiae, 73
Panchlora, 523
Pandalus, 204
Panesthia, 188
Papaipema, 325-27, 335
nebris, 305
Papilio, 325, 335-36
aegus, 334
ajax, 327
machaon, 333-34
oregonius, 334
paeon, 326
polyxenes, 326-28, 330-35
zelicaon, 326, 334
Paracentrobia, 502
Paracolax derivalis, 34
Paralipsa gularis, 38
Paramyelois transitella, 37
Parapygmephorus, 475, 483
Pararge aegeria, 461
Parasetigena silvestris, 575, 578
Parasitellus, 476, 481, 483-84
Parasitoids, 59-79
and cockroaches, 528, 533-34
for gypsy moth, 573, 577
of planthoppers, 502
of soil insects, 264
Parasitus vesparum, 476
Paratenodera angustipennis, 462
Parcoblatta, 523
Pardosa, 504
Parisacalles guadelupensis, 159
Parthenogenesis in planthoppers, 500
Patch marking by parasitoids, 63
Pathogenic viruses, 127-55

Pathogens
epizootiology of, 399
of poultry pests,110-11, 14-15, 117
and soil insects, 263
Pediculus humanus, 557, 562
Peptide hormones, 232
Peregrinus maidis, 491-92, 498, 502, 505
Peridroma saucia, 32, 36, 306, 330
Perimicrovillar membrane, 221
Perineural cells, 604-5
Periplaneta, 204, 347-48, 350-53
americana, 188, 201, 203, 205, 212, 276, 450, 523, 529, 533, 537, 604, 606, 613-14
australasiae, 523
brunea, 523
fuliginosa, 523, 527
Peritropic membrane, 226, 229-39, 243
and digestion, 181-96
and viruses, 581
Perkinsiella saccharicida, 498, 503
Permethrin, 105, 108
Perperipes, 475, 480
Pest management of poultry, 102
Pesticides
residues of, 392
and resistance, 392
and tillage, 311-12
Petalomium fimbrisetum, 475
Phalaenoides glycinae, 38
Phase
polymorphism, 10, 12
theory, 3-4, 10-14
transformation, 10-12
Phaulodinychus, 479
Pheidole megacephala, 162
Pheromones
and beetles, 167, 171
and cockroaches, 528-29, 537
and neem, 286
and neuropeptides, 212
and parasitoids, 61-62
and poultry pests, 113
and scent structures, 25-58
and searching behavior, 449, 452-53
of weevils, 161-62
Phlebotomus longipes, 235
Phlogophora meticulosa, 32, 34-35
Phoresy and mites, 116, 470
Phormia
polyctena, 284
regina, 452, 458, 462
terrae-novae, 275, 280, 286
Phosphoinositidases and transmembrane signalling, 359-67
Photoactivation of coumarins, 330
Photoperiod, 83-85
and planthoppers, 497
and scent, 33
Photoreceptors and transmembrane signalling, 360, 364
Phragmatobia, 48
fuliginosa, 28, 30
Phthorimaea operculella, 40
Phyllophaga, 256, 306
ephilida, 166
Phymateus, 12
Phytochemistry of Unbelliferae, 321-24
Phytomyza, 324-35
spondylii, 330
Pieris
brassicae, 275
rapae, 209, 333, 450-52, 456-57, 460
Plant resistance, 393
Planthoppers, population biology of, 489-520
Plathypena scabra, 304
Platygaster hiemalis, 60
Platynota stultana, 330
Plectris aliena, 166
Plodia interpunctella, 37
Plutella xylostella, 276, 284
Pneumolaelaps, 478, 481, 484
Poecilochirus, 116
Polia
nebulosa, 32
tincta, 31
Pollen, 192
Polyhedra, 128
Polyhedrin, 138-39
Polyplax spinulosa, 557
Popillia japonica, 253, 275
Population
biology of planthoppers, 489-520
dynamics, 390, 502-7, 571-596
monitoring, 390
structure, 422
Poultry pests, 101-26
Predation
and gypsy moth, 575-77
of Umbelliferae specialists, 332-33
Proctolaelaps, 481
bombophilus, 477
longisetosus, 477
Proctolin, 201, 232
Proctotydeus therapeutikos, 474
Prodinychus, 479
Prokelisia, 490, 504-5
dolus, 495-96, 498-99, 507
marginata, 493, 495-96, 498-99, 505, 507
Protein digestion, 223, 225
Proteinase inhibitors,193-94
Proteins and transmembrane signaling, 346
Prothoracic glands, 210
and neem, 280
Pseudaletia
separata, 32, 34
unipuncta, 32, 35, 303
Pseudocoila bochei, 455
Pseudogamy in planthoppers, 500
Psila rosae, 260, 325, 328, 332
Pulex irritans, 556-57
Pycnoscelus, 523
Pyemotes ventricosus, 474
Pyrearinus termitilluminans, 184
Pyrethrins and cockroaches, 538-40
Pyrethroids, 113, 118
Pyrrharctia, 48
isabella, 28, 30, 45

Q

Quantitative genetics, 425-26, 428, 431-32
Quarantines, 390

R

Radar entomology, 18
Raghuva albipuncta, 33
Receptors and transmembrane signaling, 346
Recombinant baculoviruses, 138, 143-48
Repellency of insecticides, 536-37
Repellents for cockroaches, 532
Resistance
in cockroaches, 536, 538-40
to insecticides, 89
to pesticides, 392
Retina and glial cells, 599-617
Rhaconotus, 162
Rhagoletis pomonella, 436
Rhammatocerus, 12
Rhizotrugus majalis, 254
Rhodnius prolixus, 190, 221, 223, 278, 280, 613
Rhodogastria, 29-30
Rhynchosciara americana, 182, 185, 193-94
Rhyssa persuasoria, 458
Ribautodelphax, 490-91
Ribosomes, 234
Rickettsia
prowazekii, 558, 568
typhi, 553-69

Romalea, 204
micoptera, 205

S

Saccharosydne saccharivora, 491, 503
Saliva and digestion, 190, 193
Samia cynthia, 211
Sancassania, 473, 483
Sanitation and cockroaches, 530-31
Saponins, 322
Sarcophaga, 359
Satellite imagery, 18
Scanning and searching behavior, 450
Scent structures of moths, 25-58
Schistocerca, 203-4, 348-49, 351-53
americana, 605
cancellata, 10
gregaria, 6, 10, 274
nitans, 212
piceifrons, 10
Schwiebea, 473
Scutacarus, 483
Searching behavior, 447-67
Selection, 425
Sex ratio of parasitoids, 69
Simulation modeling, 400, 402, 587-88
Simulium
equinum, 236
lineatum, 236
ornatum, 236
Sirex, 192
Sitona hispidula, 305
Smicronyx, 325
Sogatella furcifera, 274-75, 277, 283, 285, 498, 505-6
Soil
insecticides, 263
macroarthropods, 249-69
tillage, 299-318
Solitary parasitiods, 64-66
Sorptive dusts and cockroaches, 530
Sosipatra rileyella, 37
Sound and mating, 31, 39
Spalangia, 116
Sphaerolaelaps, 481
holothyroides, 477
Sphenophorus callosus, 303
Sphodromerus, 9
Spiders
and planthoppers, 502, 504-6
and tillage, 307-8
Spilosoma, 30
lubricipeda, 31
lutea, 31
urticae, 31
Spodoptera
exempta, 275
exigua, 329
frugiperda, 134, 140, 146, 212, 274-75, 306
littoralis, 275, 284
Starvation and searching behavior, 459-62
Steinernema, 112, 162
feltiae, 264
Stenocranus, 490
minutus, 503-4
Sterictophora cellularis, 170
Sterile males and cockroach control, 533-34
Stobaera, 490
Stomoxys calcitrans, 115, 194, 236-37, 239, 241
Striglina, 40
Suidasia, 473
Supella longipalpa, 276, 523, 529
Superparasitism, 59-79
Swarming of locusts, 5, 10, 17
Sweet potato pests, 157-80
Symbiotic protozoa, 1888-89
Sympatric speciation, 428
Synanthropic cockroaches, 521-51
Systena
blanda, 167
elongata, 167
frontalis, 167

T

Tabanus, 204
Tarsonemus, 475
Temperature and soil insects, 252-54
Tenebrio molitor, 184-85, 191, 207, 212, 453
Tenotrombicula minteri, 476
Termites
and digestion, 189
and mites, 472-83
and searching behavior, 449
Tetramorium, 472, 478
Tetrastichus, 533
asthenogmus, 533
hagenowii, 532-33
Thaumatopelvis, 475
Thisoecetrus, 9
Tillage, 299-318
Tineola bisselliella, 195
Tomocerus minor, 223
Trachyuropoda, 479, 483
Transcription of genes, 133-37
Transmembrane signalling, 345-77
Trap crops, 381
Trapping of cockroackes, 532
Traps for cockroaches, 528-29
Trematurella, 479
Triatoma
infestans, 221
phylosoma, 221
Tribolium confusum, 407
Trichocylliba comata, 479
Trichogramma evanescens, 63-64, 66
Trichoplusia ni, 33, 128, 146, 148, 275, 330, 451
Trichosia pubescens, 185, 193
Trigona postica, 474
Trochometridium, 480
tribulatum, 474
Trogoderma variabile, 449
Tropilaelaps, 478, 480, 483
Tsetse flies and digestion, 194
Tumidagena minuta, 494
Tunga penetrans, 243
Typhus, 553-69
Typophorus
nigritus, 168, 170
nitidulus, 170
Tyrolichus, 473
Tyrophagus putrescentiae, 308
Tyrophagus, 473
Tyrosine kinase, 354-56
Tythus, 502

U

Udea profundalis, 330
Ultraviolet light and coumarins, 330
Umbellifer associations, 319-343
Urodiscella, 479-80
Urojanetia, 479
Uroobovella obovata, 479
Uroseius, 479
Urotrachytes, 479
Urozercon, 478, 480, 483
Utetheisa
lotrix, 26
ornatrix, 28-29, 45
pulchelloides, 28-29
Uvarov, Sir Boris, 1-24
Uvaroviola, 8
Uvarovium, 8

V

Variability and ecological genetics, 424
Varroa, 480, 483
jacobsoni, 469, 478, 482
underwoodi, 478
Velocitermes, 474
Venturia canescens, 65, 454
Viral replication, 133-37
Virions, 128, 132, 140-41
Viruses, 127-55
and gypsy moths, 582
Vitellogenin, 284-85

Vitula edmandsae, 37
Voltinism in planthoppers, 496

W

Wasps and mites, 470, 478-79, 482-83
Water
  absorption, 184, 190, 194-95, 241
  regulation, 227
  transport, 209, 223
Wing deformation, 278-79
Wing dimorphism, 489
  in planthoppers, 495-96
Wireworms, 163-64, 169
  behavior of 253-55
  and soil insects, 259-62
  and tillage, 303
Wool digestion, 195

X

Xanthorhoe
  ferrugata, 40
  fluctuata, 40
  montanata, 40
Xenopsylla
  astia, 557
  bantorum, 557
  brasiliensis, 557
  cheopis, 243, 554, 557

Y

Yponomeuta
  cagnagellus, 40
  evonymellus, 40
  padellus, 40

Z

Zonocerus variegatus, 12, 17